

TITLE: LIP TREATMENT
FORMULATION #BC-35-38-C

Ingredient	Product Type	Market Focus	Function	Skin Types	Method	Snap Shot
Hydresia™	Lip treatment	All	Moisturization Lip therapy	All	Modified hot process	Lip treatment with Hydresia®

Key Ingredients

Trade Name	INCI Name	Wt%
PHASE A		
Lipovol CO (Vantage)	Ricinus Communis (Castor) Seed Oil	40.00
Thixcin R (Elementis)	Trihydroxystearin	5.00
PHASE B		
Lipovol CO (Vantage)	Ricinus Communis (Castor) Seed Oil	24.70
Beeswax 421P (Koster Kuenan)	Beeswax	4.00
Carnauba Wax SP 63 (Strahl & Pitsch)	Copernicia Cerifera (Carnauba) Wax	2.00
PHASE C		
Pelemol OL (Phoenix)	Oleyl Lactate	1.50
Plandool-G (Vantage)	Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate	5.00
Aximol SBJ-SS	Soybean Glycerides + Glycine Soja (Soybean) Sterols	5.00
Coviox T- 50 (BASF)	Tocopherol	0.20
Shea Butter (Hallstar)	Butyrospermum Parkii	2.00
Avocadin HU-25	Persea Gratissima (Avocado) Oil + Phytosterols + Olea Europaea (Olive) Fruit Oil	2.00
Thallips (Barnet)	Caprylic/Capric Triglyceride + Dictyopteris Membranacea Extract	0.50
PHASE D		
Hydresia® SF2 (Botaneco)	Carthamus Tinctorius (Safflower) Oleosomes + Water	5.00
Glyco- Repair (Silab)	Water + Ceratonia Siliqua Seed Extract	3.00
PHASE E		
Vanilla Flavor	Canola Oil + Vanilla Planifolia Fruit Extract + Caprylic/Capric Triglyceride + Vanillin + Heliotropine	0.10

Procedure

1. Premix ingredients of Phase A and heat to 55 to 60°C. Homogenize 20 minutes.
2. In a separate container, weight ingredients of Phase B and heat to 4 75 to 80°C until homogenous. Cool to 55 to 60°C.
3. Add B) to A) and maintain temperature. Add all ingredients of Phase C) and maintain the temperature.
4. Weight together ingredients of Phase D and mix 10 minutes at 400rpm. Add to ABC) and mix for 20 minutes while maintaining the temperature at 55 to 60°C
5. Add phase E and mix 10 minutes. Start pouring in the containers.

SPECIFICATIONS

Viscosity: Brookfield RVF (Spindle #6 @10 rpm): 6000cps

Sales & Technical Support

sales@botaneco.ca

403.668.6685

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. This company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. The customer must insure that its uses of our products are non-infringing. We make no warranty of any kind, expressed or implied other than the material conforms to the standard applicable specification.